

PRICE - LIST

**Effective From
15th April, 2026**



(Version 1.0)

Environmental & Scientific Instruments Co.

An ISO 9001:2015 Certified Co.

111, Industrial Area, Phase-2, Panchkula (Haryana) -134113

Tel: 0172-5033251,5033240 Email: msei2000@yahoo.com

CONTENTS

PRODUCT NAME	PAGE NO.
1. MICROPROCESSOR BASED pH/ION METERS	1
2. DIGITAL pH METERS/ POTENTIOMETERS	2
3. DIGITAL SOIL TEST LAB (PUSA STFR)	3
4. WATER AND SOIL ANALYSIS KITS	3
5. UV-VIS SPECTROPHOTOMETERS (DOUBLE BEAM)	4
6. UV-VIS SPECTROPHOTOMETERS (SINGLE BEAM)	4
7. VISIBLE SPECTROPHOTOMETERS	5
8. FLAME PHOTOMETERS	6
9. COLORIMETERS / HAEMOGLOBINMETER	7
10. DRY BATH INCUBATOR	8
11. DIFFERENTIAL CELL COUNTER	8
12. BLOOD MIXER / ROLLER MIXER	8
13. COLONY COUNTERS	8
14. KARL FISCHER TITRIMETERS	8
15. PRINTERS	9
16. PYROGEN TESTING INSTRUMENT(TELE-THERMOMETER)	9
17. TURBIDITY / NEPHELOMETERS	9
18. MICROPROCESSOR BASED CONDUCTIVITY/TDS/TDS/SALINITY METERS	10
19. DIGITAL CONDUCTIVITY METERS/ TDS METERS/ SALINITY METERS	11
20. DISSOLVED OXYGEN METERS	12
21. INSTRUMENTS FOR PHARMACY	13
22. TABLET DISSOLUTION APPARATUS	13
23. TABLET DISINTEGRATION APPARATUS	13
24. TABLET FRIABILITY TEST APPARATUS	14
25. MELTING POINT APPARATUS	14
26. ANTIBIOTIC ZONE READER	15
27. ELECTROMAGNETIC SIEVE SHAKER	16
28. FLUOROMETER	16
29. BULK DENSITY/TAPPED DENSITY APPARATUS	16
30. LEAK TEST APPARATUS	17
31. TABLET HARDNESS TESTERS	17
32. JAR TEST APPARATUS/ FLOCCULATORS	17
33. VISCOMETER	18
34. POLARIMETER	18
35. ABBE REFRACTROMETER	18
36. OTHER INSTRUMENTS	19

MODEL	INSTRUMENT	PRICE 2026
	MICROPROCESSOR BASED pH/ION METERS	
1016	Microprocessor Based pH / Ion Meter for ion concentration, pH, mV, relative mV, & Temperature measurements, using 20x4 line alphanumeric LCD, auto/manual temperature compensation, printer attachment and PS2 Keyboard attachment facility. HSN CODE: 90278990	85,900
1015	Microprocessor Based pH Meter a research grade instrument with 128x64 dots graphic LCD display, pH, mV & Temperature display and resolution of 0.01, 0.01 and 0.001 pH , 0.1 mV and 0.1°C. Its features include 5-point calibration , auto/manual temperature compensation up to 1000 samples storage along with accessories, provision for external serial dot matrix printer attachment. HSN CODE: 90278990	44,500
1013	Microprocessor Based pH Meter a research grade instrument with 128x64 dots graphic LCD display, pH, mV & Temperature display and resolution of 0.001 pH , 0.1 mV and 0.1°C. 3-point calibration , auto/manual temperature compensation up to 1000 samples storage along with accessories, provision for external serial dot matrix printer attachment. PC connecting RS232 software at extra cost of Rs. 10,900/- . HSN CODE: 90278990	36,900
1012	Microprocessor Based pH Meter with 128x64 dots graphic LCD display showing pH, mV, Temperature, having auto temperature compensation, auto buffer recognition along with accessories. Data storage facility up to 1000 samples & external serial printer attachment facility available. PC connecting RS232 software at extra cost of Rs. 10,900/- . HSN CODE: 90278990	29,900
1010	Microprocessor Based pH system with 7digit, 7 segment LED display (3 for temperature and 4 for pH/mV) with auto/manual temperature compensation, auto buffer recognition, touch keys, along with accessories. HSN CODE: 90278990	19,900
	Accessories on Request pH Meters Accessories(HSN CODE: 90278990)	
	a) pH combination electrode	3,200
	b) Gel filled epoxy body combination electrode	5,500
	c) pH electrode stand	2,600
	d) Temperature probe	3,200
	e) Standard pH Buffer Solution 7.00/ 4.00 (each)	1,600
	f) PC Software for Model 1012 & 1013	10,900
	g) Cadmium ION Electrode	89,000
	h) Ionic Standard solutions each Concentration (500ml)	11,500
	i) Ionic Strength Adjuster Solution (TISAB 500ml)	11,500
	j) Fluoride (F ⁻) Combination ION electrode	89,900
	k) Nitrate (NO ₃ ⁻) Combination ION electrode	89,900
	l) Ammonia (NH ₃ ⁻) Combination ION electrode	89,900
	m) Bromide (Br ⁻) Combination ION electrode	89,900
	n) Iodide (I ⁻) Combination ION electrode	89,900

MODEL	INSTRUMENT	PRICE 2026
	o) Calcium (Ca ⁺⁺) Combination ION electrode	89,900
	p) Sodium (Na ⁺) Glass Combination ION electrode	89,900
	q) Chloride (Cl ⁻) Combination ION electrode	89,900
DIGITAL pH METERS / POTENTIOMETERS		
alpha 01D	Digital pH Meter with Temperature compensation and combination pH electrode. 3 ½ digit LED display for pH Measurements. (Table Model) HSN CODE: 90278990	7,400
181	Digital pH, Conductivity & Temperature Meter for measurement of pH, Conductivity & Temperature. 3½ digit LED display with pH combination electrode, conductivity cell and temperature probe. (Table Model) HSN CODE: 90278990	26,900
101	Deluxe pH Meter using latest microcontroller, auto temperature compensation, combination pH electrode and temperature probe, auto buffer recognition, touch keys , one touch calibration up to 3-point calibration. 3½ digit LED display. (Table Model) HSN CODE: 90278990	13,400
111 Adv+	Digital pH Meter using latest microcontroller and built-in magnetic stirrer, temperature compensation, combination pH electrode, auto buffer recognition, touch keys , one touch calibration up to 3-point calibration. 3½ digit LED display. (Table Model) HSN CODE: 90278990	19,900
111	Digital pH Meter using latest microcontroller, temperature compensation, combination pH electrode, auto buffer recognition, touch keys , one touch calibration up to 3-point calibration. 3½ digit LED display. (Table Model) HSN CODE: 90278990	9,200
7200	pH/mV/Conductivity/TDS/Salt/Temp Water Proof Meter (Water Proof IP 57) used to measure a wide range of pH, ORP, Conductivity, TDS, Salinity and Temperature with a replaceable electrode. It has Large LCD to display pH or ORP or Conductivity or TDS or Salinity and Temperature simultaneously. It has Automatic Temperature Compensation (ATC) and is degree °C/°F switchable. HSN CODE: 90278990	24,500
7011	pH/mV/Temperature Water Proof Meter (Water Proof IP 57) measures a wide range of pH, ORP and Temperature with replaceable electrode with large LCD to display pH and Temperature simultaneously. It has automatic Temperature Compensation (ATC) and is degree °C/°F switchable. HSN CODE: 90278990	21,500
132	Digital pH Meter (Portable) 3½ digit LCD display in ABS plastic body with touch switches, auto temperature compensation and displays pH Values. It is supplied with combination pH electrode. HSN CODE: 90278990	9,400
131	Digital pH Meter (Portable) 3½ digit LCD display in ABS plastic body with touch switches and combination pH electrode. HSN CODE: 90278990	7,200
118	Digital Potentiometer with 3½ digit LED display along with 4 electrodes (glass, silver, platinum and reference electrode). HSN CODE: 90278990	21,500
119	Digital Potentiometer with 3½ digit LED display along with 2 electrodes (platinum and reference electrode). HSN CODE: 90278990	16,900
120	Digital Potentiometer using latest microcontroller with touch keys, one touch calibration, built-in standard cell, with stirrer and 2 electrodes (platinum and reference electrode), titration vessel and electrode stand. HSN CODE: 90278990	20,800
121	Digital Potentiometer using latest microcontroller with touch keys, one touch calibration, built-in standard cell and option for attaching one burette with stirrer and 2 electrodes (platinum and reference electrode), titration vessel and electrode stand. HSN CODE: 90278990	24,900

MODEL	INSTRUMENT	PRICE 2026
122	Digital Potentiometer using latest microcontroller with touch keys, one touch calibration, built-in standard cell and option for attaching two burettes with stirrer and 2 electrodes(platinum and reference electrode), titration vessel and electrode stand. HSN CODE: 90278990	28,500
	Accessories on Request pH Meter/Potentiometer Accessories (HSN CODE: 90278990)	
	a) pH combination electrode	3,200
	b) Gel filled epoxy body combination electrode	5,500
	c) Glass electrode	3,000
	d) Silver electrode	3,500
	e) Platinum electrode	4,000
	f) Reference electrode	3,000
	g) pH electrode stand	2,600
	h) Temperature probe	3,200
	i) Duracell battery or equivalent (9V DC)	800
	j) ORP Electrode (7000 EO) for Model – 7011 & 7200	8,500
	k) pH Electrode (7000 EP) for Model – 7011 & 7200	8,500
	l) Standard pH Buffer Solution 7.00/ 4.00 (each)	1,600
	m) Complete Burette Assembly containing, 1 No each. of Burettes (10ml), Reservoir Bottle, Rubber Bellow, Magnetic Capsule and Connecting Tubes (for Model 121)	14,500
	n) Complete Burette Assembly containing, 2 Nos. Burettes (10 ml), 2 Nos. Reservoir Bottles, Rubber Bellow, Magnetic Capsule and Connecting Tubes (for Model 122)	25,900
	DIGITAL SOIL TEST LAB (PUSA STFR)	
1182	Digital Soil Test Lab (PUSA STFR Meter) to test 14 parameters of soil, developed and licensed by ICAR , microcontroller based technology, recommends crop specific fertilizer dose, In-built battery backup, includes chemicals and accessories for 50 tests.	1,70,000
	WATER AND SOIL ANALYSIS KITS	
1160	Microprocessor Water & Soil Analysis Kit for measurement of pH, Conductivity, ORP, TDS, Salinity, DO & Temperature. 16x2 Line bold alphanumeric LCD display, battery cum mains operated with all accessories fitted in a VIP type portable brief case. Data storage facility up to 1000 samples & external printer attachment facility available. PC connecting software using Rs 232 interface at extra cost of Rs 9,900/-HSN CODE: 90278990	66,900
172	Water & Soil Analysis Kit 3½ digit LCD display covering 8 parameters: pH, Conductivity, TDS, Salinity, Colorimeter, Turbidity, Dissolved Oxygen & Temperature with rechargeable battery. Complete with accessories, fitted in a high-quality ABS brief case. HSN CODE: 90278990	52,900
191	Water & Soil Analysis Kit 3½ digit LCD display covering 7 parameters: pH, Conductivity, TDS, Salinity, Turbidity, Dissolved Oxygen & Temperature with rechargeable battery. Complete with accessories fitted in a quality ABS briefcase. HSN CODE: 90278990	43,500
161	Water and Soil Analysis Kit 3½ digit LCD display covering 7 parameters: pH, Conductivity, TDS, Salinity, ORP, DO and Temperature. Battery cum mains operated, complete with accessories, fitted in high quality ABS brief case. HSN CODE: 90278990	39,900

MODEL	INSTRUMENT	PRICE 2026
7200	pH/mV/Conductivity/TDS/Salt/Temp Water Proof Meter 6 parameters: (Water Proof IP 57) used to measure a wide range of pH, ORP, Conductivity, TDS, Salinity and Temperature with a replaceable electrode. It has Large LCD to display pH or ORP or Conductivity or TDS or Salinity and Temperature simultaneously. It has Automatic Temperature Compensation (ATC) and is degree °C/°F switchable. HSN CODE: 90278990	24,500
	UV-VIS SPECTROPHOTOMETERS (DOUBLE BEAM)	
2377	Double Beam UV-VIS Spectrophotometer with software Microcontroller Based Instrument having range 190 – 1100 nm, On-screen standard curve display on large 5 inches graphic LCD, Variable Selectable Spectral Bandwidth from 0.5 to 5nm , 1200 Lines/mm Grating, 8 position auto cell changer, Wavelength Scanning, PC connectivity through USB port & direct printer connectivity using parallel port interface. It has facility for WL Scan, Kinetics, Multi Wavelength & DNA/Protein modes, inclusive of PC software. HSN CODE: 90273020	5,25,000
2375	Double Beam UV-VIS Spectrophotometer with software Microcontroller Based Instrument having range 190 – 1100 nm, On-screen standard curve display on large 5 inches graphic LCD , 1.0 nm Spectral Bandwidth, 1200 Lines/mm Grating, 8 position auto cell changer, Wavelength Scanning, PC connectivity through USB port & direct printer connectivity using parallel port interface. It has facility for WL Scan, Kinetics, Multi Wavelength & DNA/Protein modes, inclusive of PC software. HSN CODE: 90273020	4,30,900
3375	Double beam Spectrophotometer Microcontroller Based instrument having range 190nm – 1100 nm, 5 inches graphic LCD, 1200 lines/mm Grating, PC Connectivity through USB Port and Printer attachment facility. HSN CODE: 90273020	3,39,000
	UV-VIS SPECTROPHOTOMETERS (SINGLE BEAM)	
2373	Single Beam Scanning UV-VIS Spectrophotometer Microcontroller Based, Range 190-1100 nm with basic PC Software and 4 position cell changer. It has graphic LCD for display of kinetic, concentration graphs. PC connectivity through USB port & direct printer connectivity using parallel port interface. Extensive elaborate keyboard for ease of operator. Sample compartment can accommodate up to 100 mm cuvettes (optional). Basic modes like %T, Abs, Concentration, Kinetics available. Wavelength Scanning and DNA/Proteins can be done using advanced professional PC Software (at extra cost @ Rs. 32,500/-) . HSN CODE: 90273020	2,44,000
2371	Single Beam UV-VIS Spectrophotometer Microcontroller Based, Range 200-1000nm with Basic PC Software and 4 position cell changer. PC connectivity through USB port & direct printer connectivity using parallel port interface. Sample compartment can accommodate up to 100 mm cuvettes (optional). Basic modes like %T, Abs., Concentration, Kinetics available. Wavelength Scanning can be done using advanced Professional Software (at extra cost @ Rs. 32,500/-) . HSN CODE: 90273020	1,99,900
3373	Single Beam UV-VIS Spectrophotometer Microcontroller Based, Range 190-1100nm with 4 position cell changer. Direct printer connectivity using parallel port interface. Sample compartment can accommodate up to 100 mm cuvettes (optional). Basic modes like %T, Abs., Concentration. Wavelength Scanning and Kinetic Mode can be done using advanced Professional Software (at extra cost @ Rs. 32,500/-) . HSN CODE: 90273020	1,79,900
3371	UV Spectrophotometer Range 190 to 1020 nm. 4-digit large LCD display, automatically adjust 0% & 100%T, 10 mm path length cuvette holder. HSN CODE: 90273020	1,25,000

MODEL	INSTRUMENT	PRICE 2026
	Accessories on Request Spectrophotometer Accessories (HSN CODE: 90273020)	
	a) Advanced Professional PC Software (Model – 2371 & 2373)	32,500
	b) Quartz cuvettes 10mm path length (set of 2)	7,800
	c) Glass cuvettes 10 mm path length (set of 2)	4,800
	d) Glass Cuvette 100 mm (Set of 2)	19,500
	e) Cuvette holder 100 mm path length (for 237x Series)	30,000
	f) Cuvette holder 50 mm path length (for 237x Series)	30,000
	g) Spare lamp (Vis.) Halogen 6V 10W	7,800
	h) Spare lamp (Vis.) Halogen 12V 20W	8,800
	i) D2 Lamp for UV Spectrophotometers	72,000
	VISIBLE SPECTROPHOTOMETERS	
2306	Microprocessor Visible Spectrophotometer (Scanning) Range 320 -1100 nm. On-screen standard curve display on Graphic LCD, PC connectivity through USB port & direct printer connectivity using parallel port, Auto zero and blank. 0.1nm wavelength resolution supplied with basic PC software. Wavelength Scanning can be done using professional PC Software (at extra cost @ Rs. 25,000/-) . HSN CODE: 90273020	89,900
1305	Microprocessor Spectrophotometer (Vis) Single beam , range 340-960nm with facility for auto concentration, %Transmission, absorbance and K Factor measurements. It has 16x2 line alphanumeric LCD for data & wavelength display. Its sample holder accommodates glass cuvettes of 10mm path length. Facility has been provided for 100 sample data storage and interface for any dot matrix centronics printer. A set of two glass Cuvette is provided. RS 232C PC software can be provided on request at additional cost. HSN CODE: 90273020	58,000
3305	Visible Spectrophotometer Range 340 to 1020 nm. 4-digit large LCD display, automatically adjust 0% & 100%T, Large Sample Room with facility to adjust from 10 to 50mm Cuvette. HSN CODE: 90273020	45,900
304	Digital Spectrophotometer Range 340-960nm with facility for automatic concentration, %Transmission & Abs. measurements. Simultaneous display of wavelength with 1nm resolution on 3-digit LED display and data on 3½ digit LED display are available. Provision for 10mm & 50mm cuvette holders with adapter is available. A set of 2Nos. 10mm path length glass cuvettes is supplied with the instrument. 50mm cuvette set can be provided at extra cost. HSN CODE: 90273020	49,500
302	Digital Spectrophotometer Range 340-960nm with facility for automatic concentration, %Transmission & Abs. measurements. 3½ digit LED display. Simultaneous display of wavelength with 1nm resolution on 3-digit LED display and data on a 3½ LED display are available. Provision for 2 position sample holder. A set of 2 glass cuvettes having 10mm spectral path length. Wavelength resolution is 1nm. HSN CODE: 90273020	48,900
305	Digital Spectrophotometer Range 340-960nm with facility for automatic concentration, %Transmission & Abs. measurements. 3½ digit data display. Simultaneous display of wave length with 1nm resolution on 3-digit LED display and data on a 3½ LED display are available. Provision is made for 10mm path length, glass cuvettes. HSN CODE: 90273020	44,900
301	Digital Spectrophotometer Range 340-960nm with facility for automatic concentration, %Transmission & Abs. measurements. Wavelength resolution 5nm. 3½ digit LED display with a set of 2 glass cuvettes of 10 mm path length. HSN CODE: 90273020	39,900

MODEL	INSTRUMENT	PRICE 2026
	Accessories on Request Spectrophotometer Accessories (HSN CODE: 90273020)	
	a) Glass cuvettes 10 mm path length (set of 2) b) Glass cuvettes 50 mm path length (set of 2) c) Glass Cuvette 100 mm (set of 2) d) Cuvette Holder 100 mm path length (for 230x Series) e) Cuvette Holder 50mm path length (for 230x Series) f) Spare Lamp (Vis.) Halogen 6V 10W g) Spare lamp (Vis.) Halogen 12V 20W h) Polystyrene cuvettes 10mm path length (set of 5) i) Dot Matrix printer for centronics interface j) Advance Scanning Professional PC Software (Model-2306) k) RS 232C PC software (Model – 1305)	4,800 14,900 19,500 30,000 30,000 7,800 8,800 2,000 26,000 28,500 22,000
	FLAME PHOTOMETERS	
1385	Microprocessor Flame Photometer (2F) with Sodium (Na) & Potassium (K) filters, up to 5-point calibration, direct readout in ppm & meq/l, auto filter selection, auto ignition, auto flame failure detection, automatic gas cut-off function , 20x4 line LCD display, Single Aspiration, printer attachment facility supplied with compressor and other accessories for lab & medical use. Additional Filters Calcium (Ca), Lithium (Li) can be provided at extra cost @ 10,900/- each and Barium (Ba) filter @ 14,500/- each. RS232 Professional PC software for Computer Interface extra @ 24,900/-. HSN CODE: 90278990	89,900
1382	Microprocessor Flame Photometer (2F) with Sodium (Na) & Potassium (K) filters, up to 5-point calibration, direct readout in ppm & meq/l, auto filter selection, auto ignition, 20x4 line LCD display, Single Aspiration, RS232 interface PC software at extra cost, printer attachment facility supplied with compressor and other accessories for lab & medical use. Additional Filters Calcium (Ca), Lithium (Li) can be provided at extra cost @ 10,900/- each and Barium (Ba) filter @ 14,500/- each. RS232 Professional PC software for Computer Interface extra @ 24,900/-. HSN CODE: 90278990	79,900
1381	Microprocessor Flame Photometer (2F) with Sodium (Na) & Potassium (K) filters, 3-point calibration, direct readout in ppm & meq/l, auto filter selection, auto ignition, 5-digit LED display with compressor and other accessories for lab & medical use. Additional Filters Calcium (Ca), Lithium (Li) can be provided at extra cost @ 10,900/- each. HSN CODE: 90278990	66,900
391	Dual Channel Flame Photometer (2F) dual channel, auto ignition, single aspiration, with filters Sodium (Na) & Potassium (K) for medical use. Final results in meq/l. Dual 2½ digit dual LED digital display for simultaneous results along with compressor and other accessories. Additional Filter Lithium (Li) can be provided at extra cost @ 10,900/- each. (in meq for clinical use) HSN CODE: 90278990	54,900
392	Dual Channel Flame Photometer (2F) dual channel, auto ignition, single aspiration, with filters Sodium (Na) & Potassium (K) for Industrial/Lab use. Final results in ppm. Dual 2½ digit dual LED digital display for simultaneous results along with compressor and other accessories. Additional Filters Calcium (Ca), Lithium (Li) can be provided at extra cost @ 10,900/- each. (in ppm for Industrial/lab use) HSN CODE: 90278990	54,900

MODEL	INSTRUMENT	PRICE 2026
381	Digital Flame Photometer (2F) with filters Sodium (Na) & Potassium (K) 2½ digit LED display (ppm) along with compressor and other accessories. Additional Filters Calcium (Ca), Lithium (Li) can be provided at extra cost @ 10,900/- each. HSN CODE: 90278990	49,500
	Accessories on Request Flame Photometer Accessories (HSN CODE: 90278990)	
	a) Interference Filters (Na, K, Li or Ca) Each	10,900
	b) Interference Filters (Ba) Each (Only for Model – 1382 & 1385)	14,500
	c) Capillary tubes (set of 3)	1,500
	d) Connecting Tubes Set	1,500
	e) Sample Beaker (set of 5)	1,500
	f) RS232C PC Software for Model 1385/1382	24,900
	g) Nebulizer	5,800
	h) Atomizer	11,500
	i) Atomizer & Burner Unit (Complete)	19,900
	j) Cleaning Wires (Set of 3)	1,200
	COLORIMETERS / HAEMOGLOBINMETER	
alpha 03	Digital Photo Colorimeter with 8 filters, Mains operated, sample size 1ml and 2 ½ digit LED display. HSN CODE: 90278020	7,450
312	Digital Photo Colorimeter 8 filters , Mains operated using latest microcontroller, with 2½ digit LED display, sample size 1ml. Auto Zero using touch keys. HSN CODE: 90278020	8,600
313	Digital Photo Colorimeter 5 filters , Mains operated using latest microcontroller, with 2½ digit LED display, sample size 1ml. Auto Zero using touch keys. HSN CODE: 90278020	8,400
1312	Microprocessor Photo Colorimeter with 8 glass filters covering range of 400-700 nm with facility for auto concentration, %Transmission, Absorbance and K factor measurement. It has 16x2 line LCD data display. Its sample holder accommodates glass test tubes of 10mm path length. Facility has been provided for 100 sample data storage and interface for any centronics printer. HSN CODE: 90278020	21,500
1313	Microprocessor Photo Colorimeter with 8 glasses filters covering range of 400 -700 nm with facility for auto concentration, %Transmission, Absorbance and K factor measurement. It has 3 digits red LED display. Sample size 1 ml. HSN CODE: 90278020	16,900
1311	Microprocessor Photo Colorimeter 3-digit display, 8 glass filters covering 400-700 nm, measures Abs. and %T has soft touch keys. Sample size 1 ml. HSN CODE: 90278020	11,900
1315	Microprocessor Haemoglobin Meter 3-digit LED display with soft touch keys, auto calibration. Direct reading in Hb units. Sample size 1 ml. HSN CODE: 90278020	11,900
	Battery cum Mains operated colorimeter are also available at an additional cost of Rs.1,500. While ordering, please mention specifically.	

MODEL	INSTRUMENT	PRICE 2026
	Accessories on Request Photo Colorimeter Accessories(HSN CODE: 90278020)	
	a) Standard Glass Filter, each color	1,600
	b) Test tube set of 5 for colorimeter	1,400
	c) Photocell / Photo Diode	3,400
	d) Source LED	1,200
	DRY BATH INCUBATOR	
352	Digital Dry Bath Incubator , using latest microcontroller, 16x2 line alphanumeric LCD for time and temperature, 24Holes for 12mm tubes anodized aluminum block, ambient to 70°C, with Temperature sensor. Maximum heating power 125W, PID Temperature controlled. Timer 1 min to 99 minutes, 220Volts A.C, Available with Buzzer alarm and Over Heat Alarm. HSN CODE: 84199090	10,500
	DIFFERENTIAL CELL COUNTER	
368	Differential Cell Counter , a microcontroller-based system for quick differential counts, having facility to count 8 types of cells and Audible beep facility. The 16-digit Alphanumeric LCD Display shows the percentage (%) calculations, Individual Cell Count with built-in Stop Watch and Timer functions. HSN CODE: 90278990	6,500
	BLOOD MIXER / ROLLER MIXER	
1524	Digital Blood/Roller Mixer to make blood homogeneous with 4 rollers 230mm long, using latest microcontroller, stepper motor, digital timer/counter with digital RPM count. HSN CODE: 90189099	14,900
524	Blood/Roller Mixer to make blood homogeneous with 4 rollers 230mm long. HSN CODE: 90189099	7,200
	COLONY COUNTERS	
1363	Microprocessor Colony Counter 6 Digit Seven Segment , Range 0-999999 with Averaging, Count Correction and 100 Sample Storage facility. HSN CODE: 90278990	13,500
1362	Microprocessor Colony Counter 4 Digit Seven Segment , Range 0-9999 with Averaging, Count Correction and 100 Sample Storage facility. HSN CODE: 90278990	11,500
1361	Microprocessor Colony Counter 3 Digit Seven Segment , Range 0-999 with Averaging, Count Correction and 100 Sample Storage facility. HSN CODE: 90278990	9,900
363	Digital Colony Counter 6-digit LED display , Range 0-99999 HSN CODE: 90278990	10,500
362	Digital Colony Counter 4-digit LED display , Range 0-9999 HSN CODE: 90278990	8,200
361	Digital Colony Counter 3-digit LED display , Range 0-999 HSN CODE: 90278990	6,800
	Spare Pen for Colony Counter HSN CODE: 90278990	2,000
	KARL FISCHER TITRIMETERS	
1760	Microprocessor K.F Moisture Titrator with built-in magnetic stirrer, Auto computation of moisture in ppm, %age and mg of water. Storage of date, time batch no. & final results of 20 titrations. K.F. Reagent dispensing by motorized process. Final results are flashed on 8-digit digital display. External printer attachment facility available. HSN CODE: 90278990	1,04,900

MODEL	INSTRUMENT	PRICE 2026
761	Auto Karl Fischer Titrimeter having built-in Magnetic Stirrer with array of 10 LED's , buzzer, auto zero burette, adjustable timer, dual platinum electrode and other accessories. HSN CODE: 90278990	49,500
	Accessories on Request K.F Moisture Titrator Accessories (HSN CODE: 90278990)	
	a) Titration Vessel (set of 3)	9,800
	b) Dual Platinum Electrode for Model 1760	24,500
	c) Dispensing Tube (set of 5) for Model 1760	3,000
	d) Connecting Tube (per set) for Model 1760	3,000
	e) Reservoir bottle 250ml (amber glass) for model 1760 KF Reagent	4,900
	f) Clear glass bottle 250 ml for Model 1760 (set of 2)	6,500
	g) Teflon Adaptor each for Model 1760	3,000
	h) Solution Drainage Assembly for Model 1760	2,800
	i) Dual Platinum Electrode for Model 761	9,000
	j) Connecting Tube for model 761	2,000
	k) Burette Clear Glass (10ml) for model 761	5,500
	l) Reservoir Bottle Clear Glass (500ml) for model 761	2,800
	m) Rubber Bellow for model 761	950
	n) Magnetic Capsule (set of 3)	4,800
	PRINTERS	
	a) 80 Column dot matrix printer for Microprocessor Instruments	26,000
	b) Thermal Printer	26,000
	PYROGEN TESTING INSTRUMENT	
461	Digital Tele Thermometer 6 Channels with 6 veterinary Probes HSN CODE: 90251910	42,500
	Spare Veterinary Sensor Probe	4,500
	TURBIDITY / NEPHELOMETERS	
1341	Microprocessor Turbidity Meter 16x2 Line alphanumeric LCD display, Range up to 200 NTU/JTU in 2 ranges. Last Calibration retained in memory. Data storage facility up to 99 samples and external serial printer attachment facility available. HSN CODE: 90273090	30,500
1331	Microprocessor Turbidity Meter 16x2 Line alphanumeric LCD display, Range 0-1000 NTU/JTU in 2 ranges. Last Calibration retained in memory. Data storage facility up to 99 samples and external serial printer attachment facility available. HSN CODE: 90273090	38,500

MODEL	INSTRUMENT	PRICE 2026
1335	Microprocessor Turbidity Meter 16x2 Line alphanumeric LCD display, Range 0-1000 NTU/JTU available in 4 ranges 0-2, 0-20, 0-200, 0-1000 NTU. Last Calibration retained in memory. Data storage facility up to 99 samples and external serial printer attachment facility available. HSN CODE: 90273090	46,900
341	Digital Nephelometer 3½ digit LED display. Range up to 200 NTU/JTU in 2 ranges (Table Model). HSN CODE: 90273090	13,500
331	Digital Turbidity Meter 3½ digit LED display. Range up to 1000 NTU/JTU in 2 ranges (Table Model). HSN CODE: 90273090	18,900
335	Digital Turbidity Meter 3½ digit LED display, Range 0-1000 NTU/JTU available in 4 ranges 0-2, 0-20, 0-200, 0-1000 NTU/JTU. 230V AC 50 Hz (Table Model). HSN CODE: 90273090	29,900
	Accessories on Request Turbidity Meter Accessories (HSN CODE: 90273090)	
	a) Test tube set of 5	2,000
	b) Spare lamp 6.8V, 0.3Amp. / Source LED	1,400
	c) Standard Solutions Turbidity 400 NTU (100ml)	2,000
	MICROPROCESSOR BASED CONDUCTIVITY / TDS/ SALINITY METERS	
1615	Microprocessor pH-EC-TDS Meter with 128x64 dots graphic LCD display showing pH, EC, TDS & Temperature. Features include auto temperature compensation, auto ranging facility in EC, up to 1000 sample storage facility and Printer attachment facility. PC connecting RS232 software at extra cost of Rs 11,900/- HSN CODE: 90278990	39,900
1602	Microprocessor EC-TDS-Sal Meter with 128x64 dots graphic LCD display showing EC, TDS, Salinity & Temperature. Features include auto temperature compensation, auto ranging facility, up to 1000 sample storage facility and external Printer attachment facility. PC connecting RS232 software at extra cost of Rs 11,900/- HSN CODE: 90278990	36,900
1611	Microprocessor pH-EC Meter with 128x64 dots graphic LCD display showing pH, EC & Temperature. Features include auto temperature compensation, auto buffer recognition in pH, auto ranging facility in EC, up to 1000 sample storage facility and external Printer attachment facility. PC connecting RS232 software at extra cost of Rs. 11,900/- HSN CODE: 90278990	36,900
1601	Microprocessor Based Conductivity/TDS Meter with 128x64 dots graphic LCD display showing Conductivity, TDS and Temperature. Features include auto ranging, selectable reference temperature & temperature coefficient. Data storage facility for up to 1000 samples & external printer attachment facility available. PC connecting RS232 software at extra cost of Rs. 11,900/- HSN CODE: 90278990	32,500
	Accessories on Request Conductivity/TDS Meter Accessories (HSN CODE: 90278990)	
	a) Conductivity Cell (Cell constant 1.0)	6,800
	b) Conductivity Cell (Cell constant 0.5)	9,800

MODEL	INSTRUMENT	PRICE 2026
	c) Conductivity Cell (Cell constant 0.1)	12,500
	d) Conductivity Cell Stand	2,600
	e) Temperature Probe	3,200
	f) Standard Solution for conductivity 1408µs or 1000µs (100ml)	2,250
	g) PC Software for Model 1601, 1602, 1611 & 1615	11,900
DIGITAL CONDUCTIVITY/TDS/SALINITY METERS		
alpha 05	Digital TDS Meter 3½ digit LED Display with facility for temperature compensation and digital cell constant adjustment along with TDS cell and other accessories. HSN CODE: 90278990	8,400
alpha 06	Digital Conductivity Meter 3½digit LED display with facility for temperature compensation and digital cell count adjustment along with Conductivity Cell. HSN CODE: 90278990	8,400
181	Digital pH, Conductivity & Temperature Meter for measurement of pH, Conductivity & Temperature. 3½ digit LED display with pH Combination Electrode, Conductivity Cell and Temperature Probe. (Table Model). HSN CODE: 90278990	26,500
601	Deluxe Conductivity Meter using latest microcontroller, Auto Ranging (5 ranges from 200µS to 1000mS), auto temperature compensation, auto cell constant measurement, touch keys along with Conductivity Cell and Temperature Probe. (Table Model) HSN CODE: 90278990	13,900
602	Deluxe Conductivity Meter using latest microcontroller, Auto Ranging (6 ranges from 20µS to 1000mS), auto temperature compensation, auto cell constant measurement, touch keys along with Conductivity Cell of 0.1 cell constant and Temperature Probe. (Table Model) HSN CODE: 90278990	24,500
641	Digital Cond./TDS Meter using latest microcontroller, Auto Ranging (5 ranges from 200µs to 1000ms in Conductivity and 200ppm to 1000ppt in TDS)3½ digit LED display for measurement of Conductivity and TDS with temperature compensation facility and auto cell constant measurement along with Conductivity/TDS Cell. (Table Model) HSN CODE: 90278990	17,900
611 Adv	Digital Conductivity Meter using latest microcontroller, Auto Ranging (5 ranges from 200µS to 1000mS), temperature compensation, auto cell constant measurement, touch keys along with Conductivity Cell. (Table Model) HSN CODE: 90278990	21,500
611	Digital Conductivity Meter using latest microcontroller, Auto Ranging (5 ranges from 200µS to 1000mS), temperature compensation, auto cell constant measurement, touch keys along with Conductivity Cell. (Table Model) HSN CODE: 90278990	11,900
651	Digital TDS Meter using latest microcontroller, Auto Ranging (5 ranges from 200ppm to 1000ppt), temperature compensation, auto cell constant measurement, touch keys along with TDS Cell. (Table Model) HSN CODE: 90278990	11,900
652	Digital TDS Meter using latest microcontroller, Auto Ranging (5 ranges from 200ppm to 1000ppt), auto temperature compensation, auto cell constant measurement, touch keys along with TDS Cell and Temperature Probe. (Table Model) HSN CODE: 90278990	15,500
671	Digital Salinity Meter using latest microcontroller, Auto Ranging (3 ranges from 2ppt to 50ppt), temperature compensation, auto cell constant measurement, touch keys along with Salinity Cell. (Table Model). HSN CODE: 90278990	11,900
7200	pH/mV/Conductivity/TDS/Salt/Temp Water Proof Meter (Water Proof IP 57) used to measure a wide range of pH, ORP, Conductivity, TDS, Salinity and Temperature with a replaceable electrode. It has Large LCD to display pH or ORP or Conductivity or TDS or Salinity and Temperature simultaneously. It has Automatic Temperature Compensation (ATC) and is degree °C/°F switchable. HSN CODE: 90278990	24,500

MODEL	INSTRUMENT	PRICE 2026
7021	Cond./TDS/Salt/Temp Water Proof Meter (Water Proof IP 57) used to measure a wide range of Conductivity, TDS, Salinity and Temperature with a replaceable electrode. It has Large LCD to display Conductivity or TDS or Salinity and Temperature simultaneously. It has Automatic Temperature Compensation (ATC) and is degree °C/°F switchable. HSN CODE: 90278990	21,500
621	Digital Conductivity Meter (Portable) 3½ digit LCD display in ABS plastic cabinet with touch switches. Battery operated. HSN CODE: 90278990	8,600
661	Digital TDS Meter (Portable) 3½ digit LCD display in ABS plastic cabinet with touch switches. Battery operated. HSN CODE: 90278990	8,600
662	Portable Salinity Meter 3½ digit LCD display in ABS plastic cabinet with touch switches. Battery operated. HSN CODE: 90278990	11,500
	Note: Conductivity, TDS and Salinity Meters are supplied with Conductivity Cell having cell constant of 1.0 approximately.	
	Accessories on Request Conductivity/TDS Meter Accessories (HSN CODE: 90278990)	
	a) Conductivity Cell (Cell constant 1.0)	6,800
	b) Conductivity Cell (Cell constant 0.5)	9,800
	c) Conductivity Cell (Cell constant 0.1)	12,500
	d) Conductivity Cell Stand	2,600
	e) Standard Solution for Conductivity 1408 µS or 1000 µS (1000ml)	2,250
	f) Temperature Probe	3,200
	g) ORP Electrode (7000 EO) for model 7200	8,500
	h) pH Electrode (7000 EP) for model 7200	8,500
	i) Conductivity Cell (7000 EC) for model 7200, 7021	8,500
	DISSOLVED OXYGEN METERS	
1801	Microprocessor Based D.O Meter with 16x2 Line alphanumeric LCD display, simultaneous display of DO & Temperature. Data storage facility up to 1000 samples and external printer attachment facility available. PC connecting software using USB interface at extra cost of Rs. 11,900/- HSN CODE: 90278990	48,500
801	Dissolved Oxygen Analyser cum Temperature Indicator along with speed regulated stirrer. Gold/Silver DO probe, RTD temperature sensor. (Table Model) HSN CODE: 90278990	26,900
811	Digital Dissolved Oxygen Meter 3½ digit LED display with gold/silver DO probe. (Table Model) HSN CODE: 90278990	24,900
831	Portable Digital Dissolved Oxygen Meter 3½ digit LCD display in ABS plastic body, touch switches along with Gold/Silver DO Probe. HSN CODE: 90278990	18,900
841	Magnetic Stirrer with Speed Controller HSN CODE: 90278990	7,000
	Accessories on Request D.O Meter Accessories(HSN CODE: 90278990)	
	a) Dissolved Oxygen Probe (Amperometric Gold/Silver membrane Type)	9,900
	b) A set of 10 DO membranes	2,500

MODEL	INSTRUMENT	PRICE 2026
	INSTRUMENTS FOR PHARMACY	
	TABLET DISSOLUTION APPARATUS	
2914	Microprocessor Tablet Dissolution Test Apparatus (14 Basket) with 20 x 4 character alphanumeric LCD Display, Range 25-200 RPM, resolution 1 RPM and accuracy ± 1 RPM, Snap Fit Paddle Attachment, Marble Finish Top Plate, Circulating Pump, 20 Setup Storage facility, 200 test sample storage and with printer attachment facility. (Packing charges @ Rs. 9,000/- shall be charged extra.) HSN CODE: 90278990	4,49,000
1918	Microprocessor Dissolution Test Apparatus (Eight Basket) with 20 x 4 character alphanumeric LCD Display, Range 25-200 RPM, resolution 1 RPM and accuracy ± 1 RPM, Snap fit Paddle Attachment, Marble Finish Top Plate, Circulating Pump, 20 Setup Storage facility, 200 test sample storage and with printer attachment facility. (Packing charges @ Rs. 6,000/- shall be charged extra.) HSN CODE: 90278990	2,49,000
1916	Microprocessor Dissolution Test Apparatus (Six Basket) with 20 x 4 character alphanumeric LCD Display, Range 25-200 RPM, resolution 1 RPM and accuracy ± 1 RPM, Snap fit Paddle Attachment, Marble Finish Top Plate, Circulating Pump, 20 Setup Storage facility, 200 test sample storage and with printer attachment facility. (Packing charges @ Rs. 6,000/- shall be charged extra.) HSN CODE: 90278990	2,34,000
1912	Microprocessor Dissolution Test Apparatus (Single Basket) with 20 x 4 character alphanumeric LCD Display. Range 25-160 RPM, resolution 1 RPM and accuracy ± 1 RPM, 20 Setup Storage facility, 200 test sample storage and with printer attachment facility. HSN CODE: 90278990	46,500
912	Tablet Dissolution Test Apparatus (Single Basket) with built-in stirrer determines %age dissolution of active drug ingredients in tablets and capsules. Range 25-200 RPM, resolution 1 RPM and accuracy 1 RPM. It is supplied with unbreakable acrylic tank and stainless-steel paddle and wire mesh basket. HSN CODE: 90278990	35,400
	Validation Kit Digital for Dissolution Test Apparatus consisting of Digital Tachometer Digital Temperature Indicator, Wobble Measuring Unit, Centre Aligning Plate, Digital Depth Gauge and Digital Protector. HSN CODE: 90278990	1,30,000
	Accessories on Request Dissolution Test Apparatus Accessories(HSN CODE: 90278990)	
	a) Acrylic Jar (Set of 6)	18,000
	b) Temperature Probe for Vessel	6,500
	c) Temperature Probe for Water Tank	8,500
	TABLET DISINTEGRATION APPARATUS	
2901	Microprocessor Disintegration Test Apparatus (2 Basket) with separate independent control for each basket, Separate timer settings, Parking of baskets at the top position at end of test, Dual temperature sensor for bath and beaker, USP Compliant, using 7 Segment dual LED display. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/. HSN CODE: 90278990	93,900
1901	Microprocessor Disintegration Test Apparatus (2 Basket) with 20 x 4 line alphanumeric LCD Display, 20 Setups storage facility, 200 samples storage facility, Dual temperature sensor control of Water bath and Beaker and Printer attachment facility. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/- . HSN CODE: 90278990	66,900

MODEL	INSTRUMENT	PRICE 2026
901	Digital Tablet Disintegration Apparatus (with two Baskets) measures disintegration time of 12 tablets/capsules at one time. Disintegration time is displayed on LED display. HSN CODE: 90278990	36,400
904	Digital Tablet Disintegration (with single Basket) measures disintegration time of 6 tablets/capsules at one time. Disintegration time is displayed on LED display. HSN CODE: 90278990	32,400
	Accessories on Request Disintegration Test Apparatus Accessories (HSN CODE: 90278990)	
	TABLET FRIABILITY TEST APPARATUS	
	a) Basket Assembly Complete with Six tubes & Discs (M-901) (Set of 2)	11,900
	b) Basket Assembly Complete with Six tubes & Discs (M-1901) (Set of 2)	13,900
	c) Basket Assembly Complete with Six tubes & Discs (M-2901) (Set of 2)	15,800
	d) Spare Guided Discs (Set of 6)	3,500
	e) PT 100 Temp Probe for Vessel (for M-1901 & 2901)	6,500
	f) Temperature Probe for Water Tank (for M-1901 & 2901)	7,200
902	Digital Friability Test Apparatus (Double Wheel) measures obsession strength of tablets. Resolution range 0-999, accuracy ± 1 revolution and resolution 1 revolution, unbreakable acrylic drum. Results are displayed on 3 digits LED and 3 digits preset table controls. HSN CODE: 90278990	30,900
903	Digital Friability Test Apparatus (Single Wheel) measures obsession strength of tablets. Resolution range 0-999, accuracy ± 1 revolution and resolution 1 revolution, unbreakable acrylic drum. Results are displayed on 3 digits LED and 3 digits preset table controls. HSN CODE: 90278990	28,900
1902	Microprocessor Friability Apparatus (Double Wheel) measures the tendency of a tablet to chip or breakdown to pieces when held under mechanical stresses. It uses the latest microcontroller , 20x4 line alphanumeric LCD display with backlit, soft touch membrane type keys, Rotational speed of drums can be set at different speeds (20-60 rpm), the samples can be loaded and unloaded conveniently without removing the drums, with serial printer interface and weighing balance interface. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/-. HSN CODE: 90278990	76,900
	Accessories on Request Friability Test Apparatus Accessories (HSN CODE: 90278990)	
	a) Spare Drum Wheel for M-902 & M-903 (set of 2)	12,500
	b) Spare Drum Wheel for M-1902 (set of 2)	24,000
	MELTING POINT APPARATUS	
2935	Digital Melting Point Apparatus with resolution 0.1°C to measure melting point/ boiling point of solid and liquid samples. Temperature range 0-300°C with 4" TFT Screen & Camera. HSN CODE: 90278990	75,900

MODEL	INSTRUMENT	PRICE 2026
1935	Auto Melting Point Apparatus (without Thermal Beaker) , Microprocessor based, with resolution 0.1°C to measure Melting Point instantly of any powder with capillary tube. Temp range up to 300°C with 4-digit LED display. Programmable Ramp and Plateau rate. HSN CODE: 90278990	61,900
1934	Auto Melting Point Apparatus (without Thermal Beaker) , Microprocessor based, with resolution 1°C to measure Melting Point instantly of any powder with capillary tube. Temp range up to 300°C with 4-digit LED display. Programmable Ramp and Plateau rate. HSN CODE: 90278990	59,900
935	Digital Melting Point Apparatus with resolution 0.1°C to measure melting point/ boiling point of solid and liquid samples. Temperature range up to 300°C with 4-digit LED display. HSN CODE: 90278990	48,900
934	Digital Melting Point Apparatus with resolution 1°C to measure melting point/ boiling point of solid and liquid samples. Temperature range up to 300°C with 3-digit LED display. HSN CODE: 90278990	47,900
931	Melting Point Apparatus measures melting point/boiling point of solid and liquid samples. Temperature range 0-300°C built-in stirrer. Three solid samples can be tested at one time. HSN CODE: 90278990	32,500
	Accessories on Request Melting Point Apparatus Accessories (HSN CODE: 90278990)	
	a) Glass Beaker 200ml, with oil level marking	3,000
	b) Oil Immersion Heater Assembly complete with Teflon lid & connecting cable	9,000
	c) Magnetic Capsule (set of 3)	5,200
	d) Capillary set (set of 100 Nos.) Superior Quality, one end Sealed	2,250
	e) Silicon Oil (200ml)	3,200
	f) Boiling Point Tubes (Set of 5)	1,800
	DIGITAL ANTIBIOTIC ZONE READER	
1941	Digital Antibiotic Zone Reader with 4-digit bright Red LED display. Measures accurate diameter of inhibited zone within 0-80.0 mm diameter with 0.1 mm resolution. Touch keys for electronic zero adjustment and LED illumination along with intensity adjustment. HSN CODE 90318000	71,500
	Accessories on Request (HSN CODE 90318000)	
	a) Standard SS Disc (24mm dia), Laser marked	8,500
	b) Standard SS Disc (12mm dia), Laser marked	8,500

MODEL	INSTRUMENT	PRICE 2026
	ELECTROMAGNETIC SIEVE SHAKER	
918	Electromagnetic Sieve Shaker with 8 Sieves (SS-316, 200mm dia x 50mm h) having 20x4 line alphanumeric LCD display and alphanumeric keypad in MS powder coated cabinet. It has user-admin password protection facility. Features include intermittent and continuous shifting modes, programmable shake time from 1 min to 99 mins, 20 programmable levels of amplitude selection, facility for attaching a RS232 serial printer. It is supplied with lid and receiver for 200mm dia x 50mm height sieves. Instrument will be supplied with 8 sieves having size from 75 μ to 4.0mm as standard. Packing charges @ Rs. 9,000/- shall be charged extra. (Instrument can be supplied with SS Cabinet at extra cost of Rs.10,000/-.) HSN CODE 90318000.	1,84,500
	FLUOROMETER	
681	Digital Fluorometer measures fluorophors like vitamins, quinine, steroids and metal. Supplied with 2 primary and 3 secondary filters mounted on holders. Results are displayed on 3-digit 7 segment LED. Sensitivity in 4 ranges. HSN CODE: 90273090	78,500
	Accessories on Request Fluorometer Accessories (HSN CODE: 90273090)	
	a) Test Tube Set for Fluorometer	3,200
	b) Glass Filter for Fluorometer(Each)	9,500
	c) Lamp for Fluorometer	4,000
	BULK DENSITY /TAPPED DENSITY APPARATUS	
951	Digital Bulk Density Apparatus with 1-9999 programmable strokes and facility for holding 2 nos. (50/100ml) cylinders simultaneously. 250ml Cylinder holder can be provided at extra cost. HSN CODE: 90278990	57,900
1953	Microprocessor Tapped Density Tester (USP1 and USP2 and USP3) , used to measure tapped density of powders, as well as granulated or flaked materials using the latest microprocessor, 20x4 line alphanumeric LCD display, and soft touch membrane type keys. It has two motorized platforms which allow for 14mm \pm 2.0 the USP Method I, and a 3mm \pm 0.2 mm drop height for the USP Method II version using interchangeable 100ml and 250ml cylinders. For USP3, both the stations can be used with programmable taps per minute. Instrument also has serial printer interface. USP 3 attachment shall be supplied at an extra cost. (Instrument can be supplied with SS Cabinet at extra cost of Rs.10,000/-) HSN CODE: 90278990	1,19,000
1951	Microprocessor Tapped Density Tester (USP1 and USP2) used to measure tapped density of powders, as well as granulated or flaked materials using the latest microprocessor, 20x4 line alphanumeric LCD display, and soft touch membrane type keys. It has two motorized platforms which allow for 14 \pm 2.0 mm drop height for the USP Method I version, and a 3 \pm 0.3 mm drop height for the USP Method II version using interchangeable 100ml and 250ml cylinders. Instrument also has serial printer interface. (Instrument can be supplied with SS Cabinet at extra cost of Rs.10,000/-) HSN CODE: 90278990	94,500
	Accessories on Request Bulk Density /Tapped Density Accessories (HSN CODE: 90278990)	
	a) Glass Cylinder 250ml for M-1951 (Regular)	6,000
	b) Glass Cylinder 100ml for M-1951 (Regular)	5,400

MODEL	INSTRUMENT	PRICE 2026
	c) Holder for 100ml Cylinder for M-1951	11,500
	d) Holder for 250ml Cylinder for M-1951	12,900
	e) Attachment for USP3 with 100 ml SS Cylinder for M-1953	35,000
	f) Serial Printer for M-1951	26,000
	g) PVC Cylinder Set 50ml & 100ml (1 each) for M-951	1,650
	h) Cylinder holder complete set for 50ml & 100ml for M-951	8,200
	i) Spare cylinder holder complete set for 250ml for M-951	9,200
LEAK TEST APPARATUS		
1961	Microprocessor Leak Test Apparatus (12" desiccator) fully automatic with 20 x 4 Line alphanumeric backlit LCD, Mobile Keypad, Programmable Vacuum & Hold Time, Selectable Pressure Units, 5 Setup Storage Facility, Automatic Last Result Storage, Printer Attachment Facility. The instrument is supplied in S.S. Cabinet. Extremely useful for packing industry and ideal for Leak Testing of Strips, Blisters & Sachets. HSN CODE: 90278990	94,500
1961	Microprocessor Leak Test Apparatus (8" desiccator) fully automatic with 20 x 4 Line alphanumeric backlit LCD, Mobile Keypad, Programmable Vacuum & Hold Time, Selectable Pressure Units, 5 Setup Storage Facility, Automatic Last Result Storage, Printer Attachment Facility. The instrument is supplied in S.S. Cabinet. Extremely useful for packing industry and ideal for Leak Testing of Strips, Blisters & Sachets. HSN CODE: 90278990	92,500
961	Leak Test Apparatus (12" Desiccator) with 4-digit seven segment bright red LED display, Programmable Vacuum Hold Time up to 9999 Secs. Extremely useful for packing industry and ideal for Leak Testing of Strips, Blisters & Sachets. Please specify the desiccator size while ordering. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/-. HSN CODE: 90278990	52,900
961	Leak Test Apparatus (8" Desiccator) with 4-digit seven segment bright red LED display, Programmable Vacuum Hold Time up to 9999 Secs. Extremely useful for packing industry and ideal for Leak Testing of Strips, Blisters & Sachets. Please specify the desiccator size while ordering. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/-. HSN CODE: 90278990	50,900
961	Leak Test Apparatus (6" Desiccator) with 4-digit seven segment bright red LED display, Programmable Vacuum Hold Time up to 9999 Secs. Extremely useful for packing industry and ideal for Leak Testing of Strips, Blisters & Sachets. Please specify the desiccator size while ordering. Instrument can be supplied with SS Cabinet at extra cost of Rs. 10,000/-. HSN CODE: 90278990	45,900
TABLET HARDNESS TESTERS		
3956	Portable Tablet Hardness Tester , a compact size and high accuracy instrument to measure the tablet Hardness with LCD backlit display showing hardness range 5 to 500N, having measurable units i.e. N, KGF, Lbf. External RS-232 printer attachment facility available. HSN CODE: 90248091	85,000
JAR TEST APPARATUS / FLOCCULATORS		
1926	Flocculator / Jar Tester with 6 paddles , using latest microcontroller, highly accurate digital RPM indicator which can be varied from 10 to 300 RPM, digital timer from 1 to 99 minutes with alert sound. Two pre-set programs allow routine speed and time parameters to be input and then selected by simply pressing one button. Parameters stored in the battery backup memory. HSN CODE: 90278990	53,900

MODEL	INSTRUMENT	PRICE 2026
1924	Flocculator / Jar Tester with 4 paddles , using latest microcontroller, highly accurate digital RPM indicator which can be varied from 10 to 300 RPM, digital timer from 1 to 99 minutes with alert sound. Two pre-set programs allow routine speed and time parameters to be input and then selected by simply pressing one button. Parameters stored in the battery backup memory. HSN CODE: 90278990	46,900
1922	Flocculator / Jar Tester with 2 paddles , using latest microcontroller, highly accurate digital RPM indicator which can be varied from 10 to 300 RPM, digital timer from 1 to 99 minutes with alert sound. Two pre-set programs allow routine speed and time parameters to be input and then selected by simply pressing one button. Parameters stored in the battery backup memory. HSN CODE: 90278990	39,500
	Accessories on Request Jar Tester Accessories(HSN CODE: 90278990)	
	a) Paddle with Rod, each	4,200
	b) Paddle only	2,500
	c) Paddle Rod holding Bakelite Knob	650
	DIGITAL VISCOMETER	
3948	Digital Viscometer with touch screen display having advantage of high accuracy, stable digital display. Easy to operate and good anti interference. It is widely used in the measurement of viscosity of various kind of fluids such as grease, paints, food, medicine, adhesives and cosmetics etc. It can also be used for the liquids. Measurement range is 20 to 20,00,000 mPas with 4 spindles 0.3/0.6/1.5/3.0/6.0/12.0/30.0/60.0 rotor speed(RPM) HSN CODE 90278010	2,79,900
	DIGITAL AUTOMATIC POLARIMETER	
3965	Digital Automatic Polarimeter , advanced digital circuit and microcontroller control based large display. Storage of 3 time result for RE-M (Repetition Measurement) and calculation of average value, measurement of colored samples and RS232 interface. Measurement range -45° to +45°, -120° to +120° Z. Suitable for sugar industries for sugar content measurements. HSN CODE 90275030	3,70,000
3966	Digital Automatic Polarimeter , advanced digital circuit and microcontroller control based large display (Touch Screen) with Peltier control (Temperature Range 10 ° - 50°C) . Storage of 3 time result for RE-M (Repetition Measurement) and calculation of average value, measurement of colored samples along with RS232 interface. Measurement range -89° to +89°, -259° to +259° Z . Suitable for sugar industries for sugar content measurements. HSN CODE 90275030	6,70,000
	DIGITAL ABBE REFRACTOMETER	
3942	Digital Abbe Refractometer , using latest microcontroller, for measurement of refractive index from 1.3 to 1.7 and dissolved solids brix from 0-100%. Equipped with LCD display and soft touch keys and has RS232 serial interface for printer. HSN CODE 902789900	2,79,900

MODEL	INSTRUMENT	PRICE 2026
	OTHER INSTRUMENTS	
TU-2016	Turbidity Meter. NTU (Nephelometric Turbidity Unit) Measuring Unit. Wide and auto measurement Range: 0-1000 NTU. High Resolution: 0.01 NTU /1 NTU. Four operation buttons and three calibration points, easy operation, Range: 0.00-50.00 NTU, 50-1,000 NTU. Auto ranging and data hold. HSN CODE: 90273090	58,500
CL-2006	Chlorine Meter. The meter measures the Free and total chlorine (CL) in the 0.00 to 3.50 ppm (mg/L). The measuring method is an adaption of the USEPA method 330.5 for waste water and Standard Method 4500-Cl G for drinking water. Range: Free chlorine (CL): 0.00 to 3.50 ppm (mg/L), total chlorine (CL): 0.00 to 3.50 ppm (mg/L). Resolution: 0.001(mg/L). Light Source: LED, 525 nm.	65,900
PDO-519	Dissolve Oxygen Meter. Pen type, Auto Calibration. This Digital Dissolved Oxygen Meter is supplied with a polarographic type probe with an incorporated Temp. Sensor which serves for precise Dissolved Oxygen (DO) and Temp. measurement. Multi-display, show Dissolved oxygen and temperature at the same time. IP-67 water resistance. HSN CODE: 90278990	39,900

Our Terms & Conditions are as under:-

Prices	:	Prices are Ex-factory. Freight will be charged extra.
Packaging& Forwarding	:	@ 3% shall be charged extra.
Taxes	:	GST @ 18% will be charged extra.
Payment	:	100% payment advanced against Performa Invoice.
Warranty	:	One year against any manufacturing defects.
Validity	:	Up to 60 days
Installation	:	Installation charges will be extra.
IQ,OQ,PQ Documents	:	IQ,OQ,PQ documents charges will be charged extra.